

# LOOK AT CHANGE FROM WINSA

2020 PRODUCT CATALOGUE



**winsa**®



# ABOUT US

Winsa PVC Window Door and Shutter Systems was established in Adapazari in 1998 under the umbrella of Sabancı Holding. Winsa, which continued its activities in Adapazari until 2004; continued its fast growth by incorporating Ege Profil San.ve Tic. A.Ş. at that time and in 2008, it moved to its factory in Kocaeli Kartepe. Winsa products are manufactured at our factory in Kocaeli Sarımeşe, on 34,000 m2 indoor area and a total area of 40,000 m2 by using the state-of-the-art technologies with all due care and professionalism.

All production processes from the arrival of the raw materials to shipment, are tested with quality methods meeting international standards.

Our brand, which sets up and carries out its ever expanding investments for creating high quality and durable products for a better environment, more ecological products, more innovative designs, and high efficiency, continues to be the leader in its sector and offers various new products and applications to its customers.


With up to 250 manufacturer dealers and over 550 sales points, Winsa PVC Pencere Kapı Panjur Sistemleri enables consumers to have access to the brand at every location in Turkey. Noticeable showroom structure in line with its corporate identity, friendly and high quality service of its dealers; successful structure in not just sales but also in after-sales services, are some of the most important aspects that distinguish Winsa from its competitors.

Winsa offers products and systems that can meet all kinds of expectations and demands of final consumers, architects and engineers.

There are 11 separate Winsa Systems including Revotech Gold with a profile width of 90 mm and Revotech systems with a profile width of 84 mm, manufactured for the first time in Turkey, Dorado Gold, Dorado, Sapphire, Carina, Panorama HS 76, (Hebeschiebe) Comfort Slide, Lotus, Winstor PVC Panjur and Winkepenk.

It also offers over 150 profile types and 13 color options including the Dorado Gold Ultra Frame with folding doors, parallel sliding, pivot window, inward opening fly screen, designed for wide and high spans for exquisite performance with a frame with of 120 mm. In addition to all these systems, Winsa brand and export Sie-Aubi product, of which the high quality is certified by RAL, one of the leading quality certification bodies, combines equipment options for all kinds of solutions and the importance it places on quality with after sales customer services, proving that it is an innovative and pioneering brand. Winsa PVC Pencere, Kapı ve Panjur Sistemleri, strictly complies with international standards, EN, RAL and TSE norms in production of all series and the profiles forming these series since the early years of its foundation and in addition, carries out all

pre-production, production and after sales organizations in line with quality standards, while proving its strength in quality with numerous quality certificates it has received. Although the reason for the existence of commercial businesses is making profit, companies that create value while serving this purpose, that contribute to the sector and business field they are engaged in, in order to contribute to the development of the country; that do not compromise from certain core values and principles for ensuring the satisfaction of its customers; who are the reason for their existence, will be permanent and long-lasting. As Winsa, this our main opinion and purpose.



by winsa  
**Revotech**  
*gold*  
 REVOLUTION IN WINDOW TECHNOLOGY




$U_f: 0,90 \text{ W / (m}^2 \cdot \text{K)}$



$R_{w, (C; C_p)} = 43^* (-2; -5) \text{ dB}$

Revotech Gold, with a profile width of 90 mm, manufactured up to international standards, offers unique heat and sound insulation to its users with 7 cubicles and a middle gasket structure.

- Profile Width** : 90 mm
- Number of Cubicles** : 7
- Class** : B Class - TS 5358 - EN 12608
- Gasket** : TPE Gray/Black
- Number of Gaskets** : 3
- Glazing Bead** : Single claw - PCE gasket
- Glass Thickness** : 24, 30, 36, 44, 52 mm



\*Provided with LSG acoustic 12/Argon 20/LSG acoustic 10 acoustic glass..



by winsa  
**Revotech**  
 REVOLUTION IN WINDOW TECHNOLOGY




$U_f: 0,90 \text{ W / (m}^2 \cdot \text{K)}$



$R_{w, (C; C_p)} = 43 \text{ (-2; -5) dB}$

- Profile Width** : 84 mm
- Number of Cubicles** : 7
- Class** : B Class - TS 5358 - EN 12608
- Gasket** : TPE Gray/Black
- Number of Gaskets** : 3
- Glazing Bead** : Single Claw - PCE Gasket
- Glass Thickness** : 24, 30, 36, 44, 52 mm

\*Provided with LSG acoustic 12/Argon 20/LSG acoustic 10 acoustic glass.





**Dorado**  
*gold*




$U_f: 1,1 \text{ W} / (\text{m}^2\text{K})$



$RW(C; C_t) = 32 (-1; -5) \text{ dB}$

With its 6-cubicle form with a width of 76 mm and middle gasket (optional) structure, Dorado Gold offer extraordinary heat and sound insulation. It offers superior solutions with its double casement double span, inward and outward opening door options with or without sills.

**Profile Width** : 76 mm  
**Number of Cubicles** : 6  
**Class:** : A Class - TS 5358 - EN 12608  
**Gasket** : TPE Gray/Black  
**Number of Gaskets** : 2/3 (Middle gasket optional)  
**Glazing Bead** : Single claw - PCE gasket  
**Number of Gaskets** : 4, 10, 20, 24, 26, 30, 36, 39 mm



## Dorado *gold* ultra frame

Dorado Gold Ultra Frame stands out with its aesthetic design and strong structure with its middle gasket (functional) structure. It offers wide usage possibilities in window and door applications. With its middle gasket structure, it provides superior sound and heat insulation in addition to high performance and solutions in wide and long-spans.

<b>Profile Width</b>	: 120 mm
<b>Number of Cubicles</b>	: 5
<b>Class</b>	: A Class - TS 5358 - EN 12608
<b>Gasket</b>	: TPE Gri / Siyah
<b>Number of Gaskets</b>	: 2/3 (Middle gasket optional)
<b>Glazing Bead</b>	: Single claw - PCE gasket
<b>Number of Gaskets</b>	: 4, 10, 20, 24, 26, 30, 36, 39 mm



# Dorado

Dorado series with a profile width of 70 mm, has RAL A class certificate with its 5-cubicle structure.

Dorado offers ideal solutions for different locations with inward and outward opening door options with or without sills, parallel sliding, folding doors and pivot window options.




$U_f : 1,4 \text{ W} / (\text{m}^2 \cdot \text{K})$



$R_{w, (C; C_{tr})} = 32 (-1; -5) \text{ dB}$

<b>Profile Width</b>	: 70 mm
<b>Number of Cubicles</b>	: 5
<b>Class</b>	: A Class - TS - 5358 EN 12608
<b>Gasket</b>	: TPE Gray / Black
<b>Number of Gaskets</b>	: 2
<b>Glazing Bead</b>	: Single claw - PCE gasket
<b>Number of Gaskets</b>	: 4, 10, 20, 24, 26, 30, 36, 39 mm







# Safir

PVC Window and Door Profile Systems combining perfect insulation and aesthetics with slim contours and oval design.




$U_f$  : 1,4-1,5 W / (m<sup>2</sup>K)



$R_{w, (C; C_{tr})}$  = 32 (-1; -5) dB

<b>Profile Width</b>	: 70 mm
<b>Number of Cubicles</b>	: 5
<b>Class</b>	: B Class - TS 5358 - EN 12608
<b>Gasket</b>	: TPE Gray / Black
<b>Number of Gaskets</b>	: 2
<b>Glazing Bead</b>	: Single claw - PCE gasket
<b>Glass Thickness</b>	: 4, 10, 20, 24, 26, 30, 36, 39 mm



# Carina

A PVC Window and Door Profile System that has proven itself with its durable design defying years, which emerged from the superior combination of savings and cost-efficiency.




$U_f$  : 1,5 W / (m<sup>2</sup>.K)



$R_w, (C; C_{tr}) = 33 (-1; -4)$  dB

<b>Profile Width</b>	: 60 mm
<b>Number of Cubicles</b>	: 4
<b>Class</b>	: B Class - TS 5358 - EN 12608
<b>Gasket</b>	: TPE Gray / Black
<b>Number of Gaskets</b>	: 2
<b>Glazing Bead</b>	: Single claw - PCE gasket
<b>Glass Thickness</b>	: 4, 12, 20, 24, 30, 32, 36 mm





# lotus

Lotus Axial Sliding Window and Door System has a modern, aesthetic and simple design. With its lower frame height, it offers a wider view, more light and spacious living spaces.

<b>Frame Profile Width</b>	: 122 mm
<b>Casement Profile Width</b>	: 45 mm
<b>Number of Cubicles (Frame)</b>	: 4
<b>Gasket</b>	: TPE Gray / Black
<b>Glazing Bead</b>	: Single Claw - PCE Gasket
<b>Glass Thickness</b>	: 4, 5, 20, 24, 26, 29 mm



# Panorama HS 76







$U_f$ : 1,2 W / (m<sup>2</sup>.K)



$R_{w, (C; C_{tr})}$  = 32 (-1; -4) dB

The window profile system that adds the outdoor spaces to your home without compromising from insulation and allows you to experience the view in the comfort of your home.

<b>Profile Width</b>	: 175 mm
<b>Casement Profile Width</b>	: 76 mm
<b>Class/Standard</b>	: TS 5358 - EN 12608
<b>Gasket</b>	: TPE Gray / Black
<b>Glazing Bead</b>	: Single claw - PCE gasket
<b>Glass Thickness</b>	: 4, 10, 20, 24, 26, 30, 36, 39 mm






# Comfort Slide

Comfort Slide PVC sliding door and window system was designed with the expertise and professionalism gained from international experiences by aiming to offer ease of use and sound insulation as well as offering more living spaces.

<b>Frame Profile Width</b>	: 149 mm
<b>Casement Profile Width</b>	: 76 mm
<b>Number of Cubicles (Frame)</b>	: 5
<b>Number of Cubicles (Casement)</b>	: 5
<b>Gasket</b>	: TPE Gray/Black
<b>Number of Gaskets</b>	: 2
<b>Glazing Bead</b>	: Single claw - PCE gasket
<b>Glass Thickness</b>	: 24, 30, 36, 44, 52 mm



# winkepenk

A PVC blind system that enables you to feel the warm breeze of the Mediterranean on your face wherever you are; offering visual wealth to your home with different application and color options.

Facade-opening blind casement can be folded as a single casement or to the left and right and can be applied as three or four casements. It has an optional channel application inside the casement.



# winstor

Whatever the weather conditions outside, it undertakes the control of the seasons, is compatible with all PVC window and door systems and is unique thanks to its chic design and superior insulation quality.


- 185 x 185 Box
- 220 x 220 Box
- 185 x 220 Insulated Box
- 220 x 225 Insulated Box
- Fly Screen can be applied.



# WITH WINSA TRANSOM PRIORITY

DOUBLE OPENING SYSTEM, SAFETY IS SECURED FROM ALL ASPECTS

- It is the system in which the transom opens with the first movement of the arm position, and a straight opening is established with the second movement.
- Provides user safety in multi-storey buildings.
- Practical for ensuring the safety of children, especially in high buildings.
- Can be applied with a casement width between 400 mm - 1100 mm, casement height between 450 mm - 2400 mm.
- Compatible with white and laminated profiles with hinge cover color options.
- Can be used easily with Winsa branded double opening and safe double openings.



## Color Options



**Gold Oak**



**Antique Oak**



**Mink**



**Anthracite Gray**




**Hazelnut**




**Silver**



**Cream**



**Ash Black**



**Mahogany**



**Metallic Silver**



**Winchester**



**Metallic Anthracite Gray**



**Anthracite Gray**



### **Marketing and Sales Group Directorate**

İçerenköy Mah. Çayır Cad. No: 5 Bay Plaza K: 12 34752 Ataşehir – İSTANBUL  
Tel: 0216 574 58 65 Faks: 0216 469 55 71

### **Marketing and Sales Directorate Marketing and Sales Directorate**

İçerenköy Mah. Çayır Cad. No: 5 Bay Plaza K: 12 34752 Ataşehir – İSTANBUL  
Tel: 0216 574 58 65 Faks: 0216 574 10 53

### **Istanbul Regional Directorate**

İçerenköy Mah. Çayır Cad. No: 5 Bay Plaza K: 12 34752 Ataşehir – İSTANBUL  
Tel: 0216 469 55 70 Faks: 0216 574 10 53

### **Ankara Regional Directorate**

Kızılırmak Mah. 1446. Cad. No: 12/17 Çukurambar Çankaya – ANKARA  
Tel: 0312 442 83 60 Faks: 0312 442 71 11

### **İzmir Regional Directorate**

Atatürk Plastik O.S.B Mah. 5. Cad. No: 4 35660 Menemen – İZMİR  
Tel: 0232 398 98 51 Faks: 0232 328 11 39

### **Adana Regional Directorate**

Yeni Mah. 87071 Sk. Bozkurtlar Rezidans No: 50/1 K: 3 D: 2 Seyhan – ADANA  
Tel: 0322 247 23 80 Faks: 0322 247 23 81

### **Kartepe Production Facilities**

Sarımeşe Mah. Suadiye Cad. No: 5 Kartepe – İZMİR  
Tel: 0262 242 20 20 Faks: 0262 371 57 28



444 91 51

[winsa.com.tr](http://winsa.com.tr)



FEBRUARY 2020